




**ESPADA**

# TOPKIT TOWER CRANE


[www.espada-tr.com](http://www.espada-tr.com)

**ESK60115-6**






Mast-Reaction






Loading Diagrams





Anchorage






Climbing Crane



BA 45 A



Mechanisms

| Items                                                                        | Mechanisms  | Speed/Hoist weight                                                                  |      |                                                                                     |     | Rope     | Motor(KW) |
|------------------------------------------------------------------------------|-------------|-------------------------------------------------------------------------------------|------|-------------------------------------------------------------------------------------|-----|----------|-----------|
|                                                                              |             | M/min                                                                               | t    | M/min                                                                               | t   | Capacity | 400V 50Hz |
| Hoisting                                                                     | 33PC15(GH)  |  |      |  |     | 400m     | 24        |
|                                                                              |             | 10                                                                                  | 3    | 5                                                                                   | 6   |          |           |
|                                                                              |             | 40                                                                                  | 3    | 20                                                                                  | 6   |          |           |
|                                                                              | 40LVF15(GH) | 80                                                                                  | 1.5  | 40                                                                                  | 3   | 400m     | 30        |
|                                                                              |             | 5                                                                                   | 3    | 3                                                                                   | 6   |          |           |
|                                                                              |             | 14                                                                                  | 3    | 7                                                                                   | 6   |          |           |
|                                                                              |             | 42                                                                                  | 3    | 21                                                                                  | 6   |          |           |
|                                                                              |             | 64                                                                                  | 2.25 | 32                                                                                  | 4.5 |          |           |
|                                                                              | 85          | 1.5                                                                                 | 42.5 | 3                                                                                   |     |          |           |
| Trolley                                                                      | 4D3V3       | 15~30~58r/min                                                                       |      |                                                                                     |     | 3        |           |
| Slewing                                                                      | RCV145      | 0-0.8rpm                                                                            |      |                                                                                     |     | 2*4.4    |           |
| Traveling                                                                    | RT 324 C1   | 12.5-25m/min                                                                        |      |                                                                                     |     | 2*5.2    |           |
| Necessary Electric Power                                                     |             | 33PC:49KVA / 40LVF:45KVA                                                            |      |                                                                                     |     |          |           |
| Main electrical components: Schneider (Frequency converter, Contactor,Relay) |             |                                                                                     |      |                                                                                     |     |          |           |