



ESPADA

TOPKIT TOWER CRANE


www.espada-tr.com

ESK6012-8



ESPADA

ESK6012-8






Loading Diagrams

	Fall	Max.load		10.0	12.0	15.0	17.0	20.0	25.0	30.0	35.0	40.0	45.0	50.0	55.0	60.0
		R(Cmax) m	C(max) t													
60m		11.9	8.00	8.00	7.97	6.10	5.25	4.30	3.25	2.56	2.07	1.71	1.43	1.20	1.02	0.87
		22.7	4.00	4.00	4.00	4.00	4.00	4.00	3.58	2.89	2.40	2.04	1.76	1.53	1.35	1.20
55m		13.5	8.00	8.00	8.00	7.06	6.09	5.01	3.81	3.02	2.46	2.05	1.73	1.48	1.27	
		25.7	4.00	4.00	4.00	4.00	4.00	4.00	4.00	3.35	2.79	2.38	2.06	1.81	1.60	
50m		15.7	8.00	8.00	8.00	8.00	7.29	6.02	4.61	3.68	3.03	2.54	2.17	1.87		
		30.0	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	3.36	2.87	2.50	2.20		
40m		15.8	8.00	8.00	8.00	8.00	7.35	6.07	4.65	3.72	3.06	2.57				
		30.3	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	3.39	2.90				
30m		15.1	8.00	8.00	8.00	8.00	6.99	5.77	4.41	3.52						
		29.0	4.00	4.00	4.00	4.00	4.00	4.00	4.00	3.85						


Anchorage

L46A1 Tower Body Height





Mast-Reaction



Mechanisms

Items	Mechanisms	Speed/Hoist weight				Rope Capacity	Motor(KW)
		M/min	t	M/min	t		
Hoisting	40QP20HS-CG2					500m	30
		0-40	4	0-20	8		
		0-80	2	0-40	4		
Trolley	40BPX65	0~56m/min					4.0
Slewing	RCV95	0-0.8rpm					2*95N.M
Power Supply	380v(±10%)/50Hz						